


LED STRIPS TECHNICAL SPECIFICATIONS



ECOLICHT

verhuur | ontwerp | event techniek

LED STRIPS TECHNICAL SPECIFICATIONS

	M-6	M-13	M-18	M-25	M-35
GENERAL					
Number of LED's	36	78	108	150	210
LED distance (mm)	14	14	14	14	14
CONTROL					
RGB Pixels	6	13	18	25	35
DMX Channels	18	39	54	75	105
ELECTRONICS					
Input voltage	24 volt/DC				
Power consumption	9,2 watt	18,8 watt	27,5 watt	36,2 watt	50,7 watt
PHOTOMETRIC					
Light color	RGB	RGB	RGB	RGB	RGB
Beam angle	120°	120°	120°	120°	120°
ENVIRONMENTAL					
Protection class	IP65	IP65	IP65	IP65	IP65
Connector	XLR 4pin - IP40				
Controller	IP52	IP52	IP52	IP52	IP52
Environment	In-/Semi-outdoor	In-/Semi-outdoor	In-/Semi-outdoor	In-/Semi-outdoor	In-/Semi-outdoor
Raincover controller	✓	✓	✓	✓	✓
DIMENSIONS					
W x H x D (mm)	510 x 30 x 27	1045 x 30 x 27	1510 x 30 x 27	2010 x 30 x 27	2815 x 30 x 27
Weight (kg/without clamps)	0,4	0,6	0,8	1	1,3

